

Gene panel information

Gene panel	Cardiomyopathy
Version	1
Total genes	37
Activation date	Friday 21 march 2025
Publisher	Center for Medical Genetics, Ghent

Genes

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
ACTC1	99.97 %	102540	Left ventricular noncompaction 4, 613424 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 11, 612098 (3), Autosomal dominant; Atrial septal defect 5, 612794 (3), Autosomal dominant; Cardiomyopathy, dilated, 1R, 613424 (3), Autosomal dominant
ACTN2	99.89 %	102573	Myopathy, distal, 6, adult onset, 618655 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 23, with or without LVNC, 612158 (3), Autosomal dominant; Congenital myopathy 8, 618654 (3), Autosomal dominant; Cardiomyopathy, dilated, 1AA, with or without LVNC, 612158 (3), Autosomal dominant
ALPK3	99.91 %	617608	Cardiomyopathy, familial hypertrophic 27, 618052 (3), Autosomal recessive
BAG3	99.99 %	603883	?Neuronopathy, distal hereditary motor, autosomal dominant 15, 621094 (3), Autosomal dominant; Cardiomyopathy, dilated, 1HH, 613881 (3), Autosomal dominant; Myopathy, myofibrillar, 6, 612954 (3), Autosomal dominant; Charcot-Marie-Tooth disease, axonal, type 2JJ, 621095 (3), Autosomal dominant
CACNA1C	99.92 %	114205	Timothy syndrome, 601005 (3), Autosomal dominant; Long QT syndrome 8, 618447 (3), Autosomal dominant; Neurodevelopmental disorder with hypotonia, language delay, and skeletal defects with or without seizures, 620029 (3), Autosomal dominant; Brugada syndrome 3, 611875 (3), Autosomal dominant
CDH2	99.82 %	114020	Arrhythmogenic right ventricular dysplasia 14, 618920 (3), Autosomal dominant; ?Attention deficit-hyperactivity disorder 8, 619957 (3), Autosomal recessive; Agenesis of corpus callosum, cardiac, ocular, and genital syndrome, 618929 (3), Autosomal dominant
CSRP3	99.91 %	600824	?Cardiomyopathy, dilated, 1M, 607482 (3); Cardiomyopathy, hypertrophic, 12, 612124 (3), Autosomal dominant
CTNNA3	99.83 %	607667	Arrhythmogenic right ventricular dysplasia 13, 615616 (3), Autosomal dominant
DES	99.93 %	125660	Scapuloperoneal syndrome, neurogenic, Kaeser type, 181400 (3), Autosomal dominant; Cardiomyopathy, dilated, 1I, 604765 (3), Autosomal dominant; Myopathy, myofibrillar, 1, 601419 (3), Autosomal recessive, Autosomal dominant
DSC2	99.51 %	125645	Arrhythmogenic right ventricular dysplasia 11 with mild palmoplantar keratoderma and woolly hair, 610476 (3), Autosomal recessive, Autosomal dominant; Arrhythmogenic right ventricular dysplasia 11, 610476 (3), Autosomal recessive, Autosomal dominant
DSG2	99.87 %	125671	Cardiomyopathy, dilated, 1BB, 612877 (3), Autosomal recessive; Arrhythmogenic right ventricular dysplasia 10, 610193 (3), Autosomal dominant
DSP	99.97 %	125647	Arrhythmogenic right ventricular dysplasia 8, 607450 (3), Autosomal dominant; Epidermolysis bullosa, lethal acantholytic, 609638 (3), Autosomal recessive; Keratosis palmoplantaris striata II, 612908 (3), Autosomal dominant; Dilated cardiomyopathy with woolly hair, keratoderma, and tooth agenesis, 615821 (3), Autosomal dominant; Cardiomyopathy, dilated, with woolly hair and keratoderma, 605676 (3), Autosomal recessive

Cardiomyopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
FHOD3	99.83 %	609691	Cardiomyopathy, familial hypertrophic, 28, 619402 (3), Autosomal dominant
FLNC	99.75 %	102565	Cardiomyopathy, familial hypertrophic, 26, 617047 (3), Autosomal dominant; Arrhythmogenic right ventricular dysplasia, familial, 617047 (3), Autosomal dominant; Cardiomyopathy, familial restrictive 5, 617047 (3), Autosomal dominant; Myopathy, distal, 4, 614065 (3), Autosomal dominant; Myopathy, myofibrillar, 5, 609524 (3), Autosomal dominant
JPH2	99.77 %	605267	Cardiomyopathy, dilated, 2E, 619492 (3), Autosomal recessive; Cardiomyopathy, hypertrophic, 17, 613873 (3), Autosomal dominant
JUP	99.59 %	173325	Naxos disease, 601214 (3), Autosomal recessive; ?Arrhythmogenic right ventricular dysplasia 12, 611528 (3), Autosomal dominant
KLHL24	99.87 %	611295	Cardiomyopathy, familial hypertrophic, 29, with polyglucosan bodies, 620236 (3), Autosomal recessive; Epidermolysis bullosa simplex 6, generalized intermediate, with or without cardiomyopathy, 617294 (3), Autosomal dominant
LMNA	99.84 %	150330	Mandibuloacral dysplasia, 248370 (3), Autosomal recessive; Heart-hand syndrome, Slovenian type, 610140 (3), Autosomal dominant; Cardiomyopathy, dilated, 1A, 115200 (3), Autosomal dominant; Emery-Dreifuss muscular dystrophy 3, autosomal recessive, 616516 (3), Autosomal recessive; Restrictive dermopathy 2, 619793 (3), Autosomal dominant; Charcot-Marie-Tooth disease, type 2B1, 605588 (3), Autosomal recessive; Emery-Dreifuss muscular dystrophy 2, autosomal dominant, 181350 (3), Autosomal dominant; Hutchinson-Gilford progeria, 176670 (3), Autosomal dominant; Lipodystrophy, familial partial, type 2, 151660 (3), Autosomal dominant; Muscular dystrophy, congenital, 613205 (3), Autosomal dominant; Malouf syndrome, 212112 (3), Autosomal dominant
MYBPC3	99.84 %	600958	Cardiomyopathy, hypertrophic, 4, 115197 (3), Autosomal recessive, Autosomal dominant; Cardiomyopathy, dilated, 1MM, 615396 (3), Autosomal dominant; Left ventricular noncompaction 10, 615396 (3), Autosomal dominant
MYH7	99.83 %	160760	Laing distal myopathy, 160500 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 1, 192600 (3), Digenic dominant, Autosomal dominant; Left ventricular noncompaction 5, 613426 (3), Autosomal dominant; Cardiomyopathy, dilated, 1S, 613426 (3), Autosomal dominant; Congenital myopathy 7B, myosin storage, autosomal recessive, 255160 (3), Autosomal recessive; Congenital myopathy 7A, myosin storage, autosomal dominant, 608358 (3), Autosomal dominant
MYL2	99.95 %	160781	Cardiomyopathy, hypertrophic, 10, 608758 (3), Autosomal dominant; Myopathy, myofibrillar, 12, infantile-onset, with cardiomyopathy, 619424 (3), Autosomal recessive
MYL3	99.91 %	160790	Cardiomyopathy, hypertrophic, 8, 608751 (3), Autosomal recessive, Autosomal dominant
NEXN	98.12 %	613121	Cardiomyopathy, dilated, 2M, autosomal recessive, 621261 (3), Autosomal recessive; Cardiomyopathy, dilated, 1CC, 613122 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 20, 613876 (3), Autosomal dominant
PKP2	98.7 %	602861	Arrhythmogenic right ventricular dysplasia 9, 609040 (3), Autosomal dominant
PLN	100 %	172405	Cardiomyopathy, dilated, 1P, 609909 (3); Cardiomyopathy, hypertrophic, 18, 613874 (3), Autosomal dominant
PRKAG2	96.89 %	602743	Glycogen storage disease of heart, lethal congenital, 261740 (3), Autosomal dominant; Wolff-Parkinson-White syndrome, 194200 (3), Autosomal dominant; Cardiomyopathy, hypertrophic 6, 600858 (3), Autosomal dominant
RBM20	99.81 %	613171	Cardiomyopathy, dilated, 1DD, 613172 (3), Autosomal dominant

Cardiomyopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
SCN5A	99.86 %	600163	Ventricular fibrillation, familial, 1, 603829 (3); Heart block, progressive, type IA, 113900 (3), Autosomal dominant; Cardiomyopathy, dilated, 1E, 601154 (3), Autosomal dominant; Heart block, nonprogressive, 113900 (3), Autosomal dominant; Long QT syndrome 3, 603830 (3), Autosomal dominant; Sick sinus syndrome 1, 608567 (3), Autosomal recessive; Brugada syndrome 1, 601144 (3), Autosomal dominant; Atrial fibrillation, familial, 10, 614022 (3), Autosomal dominant; {Sudden infant death syndrome, susceptibility to}, 272120 (3), Autosomal recessive
TGFB3	99.97 %	190230	Arrhythmogenic right ventricular dysplasia 1, 107970 (3), Autosomal dominant; Loeys-Dietz syndrome 5, 615582 (3), Autosomal dominant
TMEM43	99.95 %	612048	Arrhythmogenic right ventricular dysplasia 5, 604400 (3), Autosomal dominant; Auditory neuropathy, autosomal dominant 3, 619832 (3), Autosomal dominant; Emery-Dreifuss muscular dystrophy 7, AD, 614302 (3), Autosomal dominant
TNNC1	99.65 %	191040	Cardiomyopathy, dilated, 1Z, 611879 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 13, 613243 (3), Autosomal dominant
TNNI3	99.84 %	191044	?Cardiomyopathy, dilated, 2A, 611880 (3), Autosomal recessive; Cardiomyopathy, hypertrophic, 7, 613690 (3), Autosomal dominant; Cardiomyopathy, familial restrictive, 1, 115210 (3), Autosomal dominant; Cardiomyopathy, dilated, 1FF, 613286 (3)
TNNT2	98.57 %	191045	Cardiomyopathy, dilated, 1D, 601494 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 2, 115195 (3), Autosomal dominant; Cardiomyopathy, familial restrictive, 3, 612422 (3), Autosomal dominant; Left ventricular noncompaction 6, 601494 (3), Autosomal dominant
TPM1	99.65 %	191010	Left ventricular noncompaction 9, 611878 (3), Autosomal dominant; Cardiomyopathy, hypertrophic, 3, 115196 (3), Autosomal dominant; Cardiomyopathy, dilated, 1Y, 611878 (3), Autosomal dominant
TRIM63	99.62 %	606131	Cardiomyopathy, familial hypertrophic, 31, 621270 (3), Autosomal recessive
TTN	99.03 %	188840	Muscular dystrophy, limb-girdle, autosomal recessive 10, 608807 (3), Autosomal recessive; Congenital myopathy 5 with cardiomyopathy, 611705 (3), Autosomal recessive; Tibial muscular dystrophy, tardive, 600334 (3), Autosomal dominant; Cardiomyopathy, dilated, 1G, 604145 (3), Autosomal dominant; ?Cardiomyopathy, familial hypertrophic, 9, 613765 (3), Autosomal dominant; Myopathy myofibrillar, 9, with early respiratory failure, 603689 (3), Autosomal dominant
VCL	99.5 %	193065	Cardiomyopathy, dilated, 1W, 611407 (3); Cardiomyopathy, hypertrophic, 15, 613255 (3), Autosomal dominant

Explanation

OMIM release used for OMIM disease identifiers and descriptions: **2025-11-12**

Gene symbols used are according to the HGNC guidelines (corresponding to Ensembl database release 105).

Each Phenotype is followed by its MIM number, phenotype mapping key and inheritance pattern.

Possible phenotype mapping keys

- (1) the disorder is placed on the map based on its association with a gene, but the underlying defect is not known
- (2) the disorder has been placed on the map by linkage; no mutation has been found
- (3) the molecular basis for the disorder is known; a mutation has been found in the gene
- (4) a contiguous gene deletion or duplication syndrome, multiple genes are deleted or duplicated causing the phenotype

Brackets, "[]", indicate "nondiseases," mainly genetic variations that lead to apparently abnormal laboratory test values (e.g., dysalbuminemic euthyroidal hyperthyroxinemia).

Braces, "{ }", indicate mutations that contribute to susceptibility to multifactorial disorders (e.g., diabetes, asthma) or to susceptibility to infection (e.g., malaria).

A question mark, "?", before the phenotype name indicates that the relationship between the phenotype and gene is provisional. More details about this relationship are provided in the comment field of the map and in the gene and phenotype OMIM entries.

* The column '% at least 20 x covered' shows the percentage of the coding sequence (+/-20 nucleotides of the flanking introns) of that gene that is on average at least 20 x covered. This according to the experience with exome sequencing in our laboratory and based on the current method.