

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene panel information

Gene panel	Leukodystrophy and Leukoencephalopathy
Version	4
Total genes	348
Activation date	Friday 21 march 2025
Publisher	Center for Medical Genetics, Ghent

Genes

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
AARS1	99.82 %	601065	Developmental and epileptic encephalopathy 29, 616339 (3), Autosomal recessive; Charcot-Marie-Tooth disease, axonal, type 2N, 613287 (3), Autosomal dominant; ?Leukoencephalopathy, hereditary diffuse, with spheroids 2, 619661 (3), Autosomal dominant; Trichothiodystrophy 8, nonphotosensitive, 619691 (3), Autosomal recessive
AARS2	99.71 %	612035	Leukoencephalopathy, progressive, with ovarian failure, 615889 (3), Autosomal recessive; Combined oxidative phosphorylation deficiency 8, 614096 (3), Autosomal recessive
ABAT	99.93 %	137150	GABA-transaminase deficiency, 613163 (3), Autosomal recessive
ABCD1	99.81 %	300371	Adrenoleukodystrophy, 300100 (3), X-linked recessive; Adrenomyeloneuropathy, adult, 300100 (3), X-linked recessive
ABHD16A	99.91 %	142620	Spastic paraplegia 86, autosomal recessive, 619735 (3), Autosomal recessive
ACBD5	99.9 %	616618	Retinal dystrophy with leukodystrophy, 618863 (3), Autosomal recessive
ACER3	99.52 %	617036	?Leukodystrophy, progressive, early childhood-onset, 617762 (3), Autosomal recessive
ACOX1	99.93 %	609751	Mitchell syndrome, 618960 (3), Autosomal dominant; Peroxisomal acyl-CoA oxidase deficiency, 264470 (3), Autosomal recessive
ACP5	99.91 %	171640	Spondyloenchondrodysplasia with immune dysregulation, 607944 (3), Autosomal recessive
ACTL6B	99.21 %	612458	Developmental and epileptic encephalopathy 76, 618468 (3), Autosomal recessive; Intellectual developmental disorder with severe speech and ambulation defects, 618470 (3), Autosomal dominant
ADAR	98.86 %	146920	Dyschromatosis symmetrica hereditaria, 127400 (3), Autosomal dominant; Aicardi-Goutieres syndrome 6, 615010 (3), Autosomal recessive
ADGRG1	99.13 %	604110	Cortical dysplasia, complex, with other brain malformations 14B, (bilateral perisylvian), 615752 (3); Cortical dysplasia, complex, with other brain malformations 14A, (bilateral frontoparietal), 606854 (3), Autosomal recessive
ADK	99.63 %	102750	Hypermethioninemia due to adenosine kinase deficiency, 614300 (3), Autosomal recessive
ADSL	99.71 %	608222	Adenylosuccinase deficiency, 103050 (3), Autosomal recessive
AGA	99.77 %	613228	Aspartylglucosaminuria, 208400 (3), Autosomal recessive
AIFM1	99.79 %	300169	Combined oxidative phosphorylation deficiency 6, 300816 (3), X-linked recessive; Cowchock syndrome, 310490 (3), X-linked recessive; Spondyloepimetaphyseal dysplasia, X-linked, with hypomyelinating leukodystrophy, 300232 (3), X-linked recessive; Deafness, X-linked 5, 300614 (3), X-linked recessive
AIMP1	99.91 %	603605	Leukodystrophy, hypomyelinating, 3, 260600 (3), Autosomal recessive
AIMP2	99.9 %	600859	Leukodystrophy, hypomyelinating, 17, 618006 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
ALDH3A2	99.66 %	609523	Sjogren-Larsson syndrome, 270200 (3), Autosomal recessive
ALDH5A1	99.65 %	610045	Succinic semialdehyde dehydrogenase deficiency, 271980 (3), Autosomal recessive
ALPK1	99.74 %	607347	ROSAH syndrome, 614979 (3), Autosomal dominant
AP1S2	99.72 %	300629	Pettigrew syndrome, 304340 (3), X-linked recessive
AP4B1	98.34 %	607245	Spastic paraplegia 47, autosomal recessive, 614066 (3), Autosomal recessive
AP4E1	99.93 %	607244	Stuttering, familial persistent, 1, 184450 (3), Autosomal dominant; Spastic paraplegia 51, autosomal recessive, 613744 (3), Autosomal recessive
AP4M1	98.54 %	602296	Spastic paraplegia 50, autosomal recessive, 612936 (3), Autosomal recessive
APP	99.44 %	104760	Cerebral amyloid angiopathy, Dutch, Italian, Iowa, Flemish, Arctic variants, 605714 (3), Autosomal dominant; Alzheimer disease 1, familial, 104300 (3), Autosomal dominant
ARSA	99.83 %	607574	Metachromatic leukodystrophy, 250100 (3), Autosomal recessive
ASAH1	99.6 %	613468	Spinal muscular atrophy with progressive myoclonic epilepsy, 159950 (3), Autosomal recessive; Farber lipogranulomatosis, 228000 (3), Autosomal recessive
ASPA	99.88 %	608034	Canavan disease, 271900 (3), Autosomal recessive
ATAD3A	98.72 %	612316	Harel-Yoon syndrome, 617183 (3), Autosomal recessive, Autosomal dominant; Pontocerebellar hypoplasia, hypotonia, and respiratory insufficiency syndrome, neonatal lethal, 618810 (3), Autosomal recessive
ATP11A	99.77 %	605868	?Auditory neuropathy, autosomal dominant 2, 620384 (3), Autosomal dominant; ?Leukodystrophy, hypomyelinating, 24, 619851 (3), Autosomal dominant; Deafness, autosomal dominant 84, 619810 (3), Autosomal dominant
ATP7A	99.79 %	300011	Occipital horn syndrome, 304150 (3), X-linked recessive; Neuronopathy, distal hereditary motor, X-linked, 300489 (3), X-linked recessive; Menkes disease, 309400 (3), X-linked recessive
ATP7B	99.95 %	606882	Wilson disease, 277900 (3), Autosomal recessive
AUH	99.96 %	600529	3-methylglutaconic aciduria, type I, 250950 (3), Autosomal recessive
B3GALNT2	97.89 %	610194	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 11, 615181 (3), Autosomal recessive
BCAP31	99.64 %	300398	Deafness, dystonia, and cerebral hypomyelination, 300475 (3), X-linked recessive
BCS1L	99.9 %	603647	GRACILE syndrome, 603358 (3), Autosomal recessive; Mitochondrial complex III deficiency, nuclear type 1, 124000 (3), Autosomal recessive; Bjornstad syndrome, 262000 (3), Autosomal recessive
BLOC1S1	99.83 %	601444	No OMIM phenotypes
BOLA3	97.22 %	613183	Multiple mitochondrial dysfunctions syndrome 2 with hyperglycinemia, 614299 (3), Autosomal recessive
BTD	99.93 %	609019	Biotinidase deficiency, 253260 (3), Autosomal recessive
C2orf69	99.66 %	619219	Combined oxidative phosphorylation deficiency 53, 619423 (3), Autosomal recessive
CBS	16.71 %	613381	Thrombosis, hyperhomocysteinemic, 236200 (3), Autosomal recessive; Homocystinuria, B6-responsive and nonresponsive types, 236200 (3), Autosomal recessive
CIC	99.84 %	612082	Intellectual developmental disorder, autosomal dominant 45, 617600 (3), Autosomal dominant
CLCN2	99.85 %	600570	Leukoencephalopathy with ataxia, 615651 (3), Autosomal recessive; Hyperaldosteronism, familial, type II, 605635 (3), Autosomal dominant; {Epilepsy, juvenile myoclonic, susceptibility to, 8}, 607628 (3), Autosomal dominant; {Epilepsy, juvenile absence, susceptibility to, 2}, 607628 (3), Autosomal dominant; {Epilepsy, idiopathic generalized, susceptibility to, 11}, 607628 (3), Autosomal dominant
CLDN11	99.93 %	601326	Leukodystrophy, hypomyelinating, 22, 619328 (3), Autosomal dominant

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
CLDN5	99.88 %	602101	<i>No OMIM phenotypes</i>
CLN3	99.6 %	607042	Ceroid lipofuscinosis, neuronal, 3, 204200 (3), Autosomal recessive
CLN5	99.94 %	608102	Ceroid lipofuscinosis, neuronal, 5, 256731 (3), Autosomal recessive
CLN6	99.89 %	606725	Ceroid lipofuscinosis, neuronal, 6B (Kufs type), 204300 (3), Autosomal recessive; Ceroid lipofuscinosis, neuronal, 6A, 601780 (3), Autosomal recessive
CLN8	100 %	607837	Ceroid lipofuscinosis, neuronal, 8, Northern epilepsy variant, 610003 (3), Autosomal recessive; Ceroid lipofuscinosis, neuronal, 8, 600143 (3), Autosomal recessive
CLPP	99.86 %	601119	Perrault syndrome 3, 614129 (3), Autosomal recessive
CNP	99.78 %	123830	?Leukodystrophy, hypomyelinating, 20, 619071 (3), Autosomal recessive
CNTNAP1	99.64 %	602346	Lethal congenital contracture syndrome 7, 616286 (3), Autosomal recessive; Hypomyelinating neuropathy, congenital, 3, 618186 (3), Autosomal recessive
COA7	98.41 %	615623	Spinocerebellar ataxia, autosomal recessive, with axonal neuropathy 3, 618387 (3), Autosomal recessive
COA8	99.95 %	616003	Mitochondrial complex IV deficiency, nuclear type 17, 619061 (3), Autosomal recessive
COL4A1	99.93 %	120130	?Retinal arteries, tortuosity of, 180000 (3), Autosomal dominant; {Hemorrhage, intracerebral, susceptibility to}, 614519 (3); Angiopathy, hereditary, with nephropathy, aneurysms, and muscle cramps, 611773 (3), Autosomal dominant; Microangiopathy and leukoencephalopathy, pontine, autosomal dominant, 618564 (3), Autosomal dominant; Brain small vessel disease with or without ocular anomalies, 175780 (3), Autosomal dominant
COL4A2	99.69 %	120090	Brain small vessel disease 2, 614483 (3), Autosomal dominant; {Hemorrhage, intracerebral, susceptibility to}, 614519 (3)
COLGALT1	99.43 %	617531	Brain small vessel disease 3, 618360 (3), Autosomal recessive
COQ9	98.19 %	612837	Coenzyme Q10 deficiency, primary, 5, 614654 (3), Autosomal recessive
COX10	99.87 %	602125	Mitochondrial complex IV deficiency, nuclear type 3, 619046 (3), Autosomal recessive
COX15	99.92 %	603646	Mitochondrial complex IV deficiency, nuclear type 6, 615119 (3), Autosomal recessive
COX6B1	99.98 %	124089	Mitochondrial complex IV deficiency, nuclear type 7, 619051 (3), Autosomal recessive
CPS1	99.76 %	608307	Carbamoylphosphate synthetase I deficiency, 237300 (3), Autosomal recessive
CSF1R	99.71 %	164770	Brain abnormalities, neurodegeneration, and dysosteosclerosis, 618476 (3), Autosomal recessive; Leukoencephalopathy, diffuse hereditary, with spheroids 1, 221820 (3), Autosomal dominant
CST3	99.77 %	604312	{Macular degeneration, age-related, 11}, 611953 (3); Leukodystrophy, adult-onset, autosomal dominant, without amyloid angiopathy, 621214 (3), Autosomal dominant; Cerebral amyloid angiopathy, 105150 (3), Autosomal dominant
CTC1	99.9 %	613129	Cerebroretinal microangiopathy with calcifications and cysts, 612199 (3), Autosomal recessive
CTSA	99.77 %	613111	Galactosialidosis, 256540 (3), Autosomal recessive; Brain small vessel disease 6 with leukoencephalopathy, 621394 (3), Autosomal dominant
CTSD	99.84 %	116840	Ceroid lipofuscinosis, neuronal, 10, 610127 (3), Autosomal recessive
CTSF	99.65 %	603539	Ceroid lipofuscinosis, neuronal, 13 (Kufs type), 615362 (3), Autosomal recessive
CYP27A1	99.91 %	606530	Cerebrotendinous xanthomatosis, 213700 (3), Autosomal recessive
CYP2U1	99.95 %	610670	Spastic paraplegia 56, autosomal recessive, 615030 (3), Autosomal recessive
CYP7B1	99.92 %	603711	Spastic paraplegia 5A, autosomal recessive, 270800 (3), Autosomal recessive; Bile acid synthesis defect, congenital, 3, 613812 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
D2HGDH	99.94 %	609186	D-2-hydroxyglutaric aciduria, 600721 (3), Autosomal recessive
DAG1	99.98 %	128239	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 9, 616538 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 9, 613818 (3), Autosomal recessive
DAP3	98.48 %	602074	Perrault syndrome 7, 621101 (3), Autosomal recessive
DARS1	99.01 %	603084	Hypomyelination with brainstem and spinal cord involvement and leg spasticity, 615281 (3), Autosomal recessive
DARS2	98.38 %	610956	Leukoencephalopathy with brain stem and spinal cord involvement and lactate elevation, 611105 (3), Autosomal recessive
DCAF17	99.65 %	612515	Woodhouse-Sakati syndrome, 241080 (3), Autosomal recessive
DDHD2	99.87 %	615003	Spastic paraplegia 54, autosomal recessive, 615033 (3), Autosomal recessive
DEGS1	99.97 %	615843	Leukodystrophy, hypomyelinating, 18, 618404 (3), Autosomal recessive
DGUOK	99.38 %	601465	Portal hypertension, noncirrhotic, 1, 617068 (3), Autosomal recessive; Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal recessive 4, 617070 (3), Autosomal recessive; Mitochondrial DNA depletion syndrome 3 (hepatocerebral type), 251880 (3), Autosomal recessive
DLAT	99.65 %	608770	Pyruvate dehydrogenase E2 deficiency, 245348 (3), Autosomal recessive
DLD	99.78 %	238331	Dihydrolipoamide dehydrogenase deficiency, 246900 (3), Autosomal recessive
DMXL2	99.85 %	612186	Developmental and epileptic encephalopathy 81, 618663 (3), Autosomal recessive; ?Deafness, autosomal dominant 71, 617605 (3), Autosomal dominant; ?Polyendocrine-polyneuropathy syndrome, 616113 (3), Autosomal recessive
DNAJC5	99.9 %	611203	Ceroid lipofuscinosis, neuronal, 4 (Kufs type), autosomal dominant, 162350 (3), Autosomal dominant
DPYD	97.91 %	612779	Dihydropyrimidine dehydrogenase deficiency, 274270 (3), Autosomal recessive; 5-fluorouracil toxicity, 274270 (3), Autosomal recessive
EARS2	99.44 %	612799	Combined oxidative phosphorylation deficiency 12, 614924 (3), Autosomal recessive
ECHS1	99.94 %	602292	Mitochondrial short-chain enoyl-CoA hydratase 1 deficiency, 616277 (3), Autosomal recessive
EIF2AK1	99.86 %	613635	?Leukoencephalopathy, motor delay, spasticity, and dysarthria syndrome, 618878 (3), Autosomal dominant
EIF2AK2	99.66 %	176871	Leukoencephalopathy, developmental delay, and episodic neurologic regression syndrome, 618877 (3), Autosomal dominant; Dystonia 33, 619687 (3), Autosomal recessive, Autosomal dominant
EIF2B1	99.75 %	606686	Leukoencephalopathy with vanishing white matter 1, with or without ovarian failure, 603896 (3), Autosomal recessive
EIF2B2	99.84 %	606454	Leukoencephalopathy with vanishing white matter 2, with or without ovarian failure, 620312 (3), Autosomal recessive
EIF2B3	96.56 %	606273	Leukoencephalopathy with vanishing white matter 3, with or without ovarian failure, 620313 (3), Autosomal recessive
EIF2B4	99.52 %	606687	Leukoencephalopathy with vanishing white matter 4, with or without ovarian failure, 620314 (3), Autosomal recessive
EIF2B5	99.54 %	603945	Leukoencephalopathy with vanishing white matter 5, with or without ovarian failure, 620315 (3), Autosomal recessive
ELOVL1	99.89 %	611813	Ichthyotic keratoderma, spasticity, hypomyelination, and dysmorphic facies, 618527 (3), Autosomal recessive, Autosomal dominant
ENTPD1	99.95 %	601752	Spastic paraplegia 64, autosomal recessive, 615683 (3), Autosomal recessive
EPRS1	99.13 %	138295	Leukodystrophy, hypomyelinating, 15, 617951 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
ERCC2	99.66 %	126340	Xeroderma pigmentosum, group D, 278730 (3), Autosomal recessive; Trichothiodystrophy 1, photosensitive, 601675 (3), Autosomal recessive; ?Cerebrooculofacioskeletal syndrome 2, 610756 (3), Autosomal recessive
ERCC3	99.76 %	133510	Trichothiodystrophy 2, photosensitive, 616390 (3), Autosomal recessive; Xeroderma pigmentosum, group B, 610651 (3), Autosomal recessive
ERCC6	99.56 %	609413	UV-sensitive syndrome 1, 600630 (3), Autosomal recessive; Cerebrooculofacioskeletal syndrome 1, 214150 (3), Autosomal recessive; ?De Sanctis-Cacchione syndrome, 278800 (3), Autosomal recessive; Cockayne syndrome, type B, 133540 (3), Autosomal recessive; {Macular degeneration, age-related, susceptibility to, 5}, 613761 (3); Premature ovarian failure 11, 616946 (3), Autosomal dominant; {Lung cancer, susceptibility to}, 211980 (3), Somatic mutation, Autosomal dominant
ERCC8	99.6 %	609412	UV-sensitive syndrome 2, 614621 (3), Autosomal recessive; Cockayne syndrome, type A, 216400 (3), Autosomal recessive
ESAM	99.81 %	614281	Neurodevelopmental disorder with intracranial hemorrhage, seizures, and spasticity, 620371 (3), Autosomal recessive
FA2H	99.5 %	611026	Spastic paraplegia 35, autosomal recessive, 612319 (3), Autosomal recessive
FAM126A	99.87 %	610531	Leukodystrophy, hypomyelinating, 5, 610532 (3), Autosomal recessive
FAR1	99.8 %	616107	Peroxisomal fatty acyl-CoA reductase 1 disorder, 616154 (3), Autosomal recessive; Cataracts, spastic paraparesis, and speech delay, 619338 (3), Autosomal dominant
FARS2	99.89 %	611592	Combined oxidative phosphorylation deficiency 14, 614946 (3), Autosomal recessive; Spastic paraplegia 77, autosomal recessive, 617046 (3), Autosomal recessive
FARSA	99.84 %	602918	?Rajab interstitial lung disease with brain calcifications 2, 619013 (3), Autosomal recessive
FASTKD2	99.78 %	612322	Combined oxidative phosphorylation deficiency 44, 618855 (3), Autosomal recessive
FBXL4	99.94 %	605654	Mitochondrial DNA depletion syndrome 13 (encephalomyopathic type), 615471 (3), Autosomal recessive
FDX2	99.47 %	614585	Mitochondrial myopathy, episodic, with optic atrophy and reversible leukoencephalopathy, 251900 (3), Autosomal recessive
FHL1	99.9 %	300163	Myopathy, X-linked, with postural muscle atrophy, 300696 (3), X-linked recessive; Emery-Dreifuss muscular dystrophy 6, X-linked, 300696 (3), X-linked recessive; ?Uruguay faciocardiomyoskeletal syndrome, 300280 (3), X-linked recessive; Scapuloperoneal myopathy, X-linked dominant, 300695 (3), X-linked dominant; Reducing body myopathy, X-linked 1b, with late childhood or adult onset, 300718 (3), X-linked; Reducing body myopathy, X-linked 1a, severe, infantile or early childhood onset, 300717 (3), X-linked dominant
FIG4	99.67 %	609390	Yunis-Varon syndrome, 216340 (3), Autosomal recessive; ?Polymicrogyria, bilateral temporooccipital, 612691 (3), Autosomal recessive; Amyotrophic lateral sclerosis 11, 612577 (3), Autosomal dominant; Charcot-Marie-Tooth disease, type 4J, 611228 (3), Autosomal recessive
FKRP	99.64 %	606596	Muscular dystrophy-dystroglycanopathy (congenital with or without impaired intellectual development), type B, 5, 606612 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 5, 607155 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 5, 613153 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
FKTN	99.91 %	607440	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 4, 611588 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 4, 253800 (3), Autosomal recessive; Cardiomyopathy, dilated, 1X, 611615 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital without impaired intellectual development), type B, 4, 613152 (3), Autosomal recessive
FLVCR2	99.92 %	610865	Proliferative vasculopathy and hydranencephaly-hydrocephaly syndrome, 225790 (3), Autosomal recessive
FOLR1	99.95 %	136430	Neurodegeneration due to cerebral folate transport deficiency, 613068 (3), Autosomal recessive
FOXC1	99.97 %	601090	Axenfeld-Rieger syndrome, type 3, 602482 (3), Autosomal dominant; Anterior segment dysgenesis 3, multiple subtypes, 601631 (3), Autosomal dominant
FOXRED1	99.82 %	613622	Mitochondrial complex I deficiency, nuclear type 19, 618241 (3), Autosomal recessive
FUCA1	98.82 %	612280	Fucosidosis, 230000 (3), Autosomal recessive
GALC	99.8 %	606890	Krabbe disease, 245200 (3), Autosomal recessive
GALNT2	98.46 %	602274	Congenital disorder of glycosylation, type II, 618885 (3), Autosomal recessive
GALT	99.95 %	606999	Galactosemia, 230400 (3), Autosomal recessive
GAN	99.87 %	605379	Giant axonal neuropathy-1, 256850 (3), Autosomal recessive
GBE1	99.57 %	607839	Glycogen storage disease IV, 232500 (3), Autosomal recessive; Polyglucosan body disease, adult form, 263570 (3), Autosomal recessive
GCDH	100 %	608801	Glutaricaciduria, type I, 231670 (3), Autosomal recessive
GFAP	99.92 %	137780	Alexander disease, 203450 (3), Autosomal dominant
GFM1	99.9 %	606639	Combined oxidative phosphorylation deficiency 1, 609060 (3), Autosomal recessive
GFM2	99.53 %	606544	Combined oxidative phosphorylation deficiency 39, 618397 (3), Autosomal recessive
GJA1	100 %	121014	Erythrokeratoderma variabilis et progressiva 3, 617525 (3), Autosomal dominant; Craniometaphyseal dysplasia, autosomal recessive, 218400 (3), Autosomal recessive; Oculodentodigital dysplasia, 164200 (3), Autosomal dominant; Palmoplantar keratoderma with congenital alopecia, 104100 (3), Autosomal dominant; Syndactyly, type III, 186100 (3), Autosomal dominant; Oculodentodigital dysplasia, autosomal recessive, 257850 (3), Autosomal recessive
GJB1	99.98 %	304040	Charcot-Marie-Tooth neuropathy, X-linked dominant, 1, 302800 (3), X-linked dominant
GJC2	99.98 %	608803	Lymphatic malformation 3, 613480 (3), Autosomal dominant; ?Spastic paraplegia 44, autosomal recessive, 613206 (3), Autosomal recessive; Leukodystrophy, hypomyelinating, 2, 608804 (3), Autosomal recessive
GLA	99.85 %	300644	Fabry disease, cardiac variant, 301500 (3), X-linked; Fabry disease, 301500 (3), X-linked
GLB1	99.98 %	611458	GM1-gangliosidosis, type I, 230500 (3), Autosomal recessive; GM1-gangliosidosis, type III, 230650 (3), Autosomal recessive; Mucopolysaccharidosis type IVB (Morquio), 253010 (3), Autosomal recessive; GM1-gangliosidosis, type II, 230600 (3), Autosomal recessive
GLRX5	99.99 %	609588	Anemia, sideroblastic, 3, pyridoxine-refractory, 616860 (3), Autosomal recessive; Spasticity, childhood-onset, with hyperglycinemia, 616859 (3), Autosomal recessive
GM2A	99.95 %	613109	GM2-gangliosidosis, AB variant, 272750 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
GNAS	99.97 %	139320	Pituitary adenoma 3, multiple types, somatic, 617686 (3); Pseudohypoparathyroidism Ic, 612462 (3), Autosomal dominant; Pseudohypoparathyroidism Ia, 103580 (3), Autosomal dominant; Osseous heteroplasia, progressive, 166350 (3), Autosomal dominant; McCune-Albright syndrome, somatic mosaic, 174800 (3); Pseudohypoparathyroidism Ib, 603233 (3), Autosomal dominant; Pseudopseudohypoparathyroidism, 612463 (3), Autosomal dominant; ACTH-independent macronodular adrenal hyperplasia 1, somatic, 219080 (3)
GPHN	99.56 %	603930	Molybdenum cofactor deficiency C, 615501 (3), Autosomal recessive
GSN	99.67 %	137350	Amyloidosis, Finnish type, 105120 (3), Autosomal dominant
GTF2H5	99.97 %	608780	Trichothiodystrophy 3, photosensitive, 616395 (3), Autosomal recessive
HEPACAM	99.96 %	611642	Megalencephalic leukoencephalopathy with subcortical cysts 2A, 613925 (3), Autosomal recessive; Megalencephalic leukoencephalopathy with subcortical cysts 2B, remitting, with or without impaired intellectual development, 613926 (3), Autosomal dominant
HEXA	99.88 %	606869	[Hex A pseudodeficiency], 272800 (3), Autosomal recessive; GM2-gangliosidosis, several forms, 272800 (3), Autosomal recessive; Tay-Sachs disease, 272800 (3), Autosomal recessive
HEXB	99.83 %	606873	Sandhoff disease, infantile, juvenile, and adult forms, 268800 (3), Autosomal recessive
HIBCH	99.59 %	610690	3-hydroxyisobutryl-CoA hydrolase deficiency, 250620 (3), Autosomal recessive
HIKESHI	99.85 %	614908	Leukodystrophy, hypomyelinating, 13, 616881 (3), Autosomal recessive
HLCS	99.81 %	609018	Holocarboxylase synthetase deficiency, 253270 (3), Autosomal recessive
HMBS	99.9 %	609806	Leukoencephalopathy, porphyria-related, 620711 (3), Autosomal recessive; Encephalopathy, porphyria-related, 620704 (3), Autosomal recessive; Porphyria, acute intermittent, nonerythroid variant, 176000 (3), Autosomal dominant; Porphyria, acute intermittent, 176000 (3), Autosomal dominant
HMGCL	97.26 %	613898	HMG-CoA lyase deficiency, 246450 (3), Autosomal recessive
HPDL	99.87 %	618994	Neurodevelopmental disorder with progressive spasticity and brain white matter abnormalities, 619026 (3), Autosomal recessive; Spastic paraplegia 83, autosomal recessive, 619027 (3), Autosomal recessive
HSD17B4	99.55 %	601860	D-bifunctional protein deficiency, 261515 (3), Autosomal recessive; Perrault syndrome 1, 233400 (3), Autosomal recessive
HSPD1	99.77 %	118190	Spastic paraplegia 13, autosomal dominant, 605280 (3), Autosomal dominant; Leukodystrophy, hypomyelinating, 4, 612233 (3), Autosomal recessive
HTRA1	99.75 %	602194	Cerebral arteriopathy, autosomal dominant, with subcortical infarcts and leukoencephalopathy 2, 616779 (3), Autosomal dominant; Cerebral arteriopathy, autosomal recessive, with subcortical infarcts and leukoencephalopathy 2, 600142 (3), Autosomal recessive
IBA57	99.5 %	615316	Multiple mitochondrial dysfunctions syndrome 3, 615330 (3), Autosomal recessive; ?Spastic paraplegia 74, autosomal recessive, 616451 (3), Autosomal recessive
IFIH1	99.64 %	606951	Immunodeficiency 95, 619773 (3), Autosomal recessive; Aicardi-Goutieres syndrome 7, 615846 (3), Autosomal dominant; Singleton-Merten syndrome 1, 182250 (3), Autosomal dominant
IKBKG	54.61 %	300248	Incontinentia pigmenti, 308300 (3), X-linked dominant; Ectodermal dysplasia and immunodeficiency 1, 300291 (3), X-linked recessive; Immunodeficiency 33, 300636 (3), X-linked recessive; Autoinflammatory disease, systemic, X-linked, 301081 (3), X-linked
ISCA1	99.72 %	611006	Multiple mitochondrial dysfunctions syndrome 5, 617613 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
ISCA2	99.68 %	615317	Multiple mitochondrial dysfunctions syndrome 4, 616370 (3), Autosomal recessive
ITM2B	99.56 %	603904	?Retinal dystrophy with inner retinal dysfunction and ganglion cell abnormalities, 616079 (3), Autosomal dominant; Dementia, familial British, 176500 (3), Autosomal dominant; Dementia, familial Danish, 117300 (3), Autosomal dominant
IVD	99.86 %	607036	Isovaleric acidemia, 243500 (3), Autosomal recessive
JAM2	99.41 %	606870	Basal ganglia calcification, idiopathic, 8, autosomal recessive, 618824 (3), Autosomal recessive
JAM3	99.94 %	606871	Hemorrhagic destruction of the brain, subependymal calcification, and cataracts, 613730 (3), Autosomal recessive
KARS1	99.8 %	601421	Deafness, autosomal recessive 89, 613916 (3), Autosomal recessive; Leukoencephalopathy, progressive, infantile-onset, with or without deafness, 619147 (3), Autosomal recessive; ?Charcot-Marie-Tooth disease, recessive intermediate, B, 613641 (3), Autosomal recessive; Deafness, congenital, and adult-onset progressive leukoencephalopathy, 619196 (3), Autosomal recessive
KCNN2	99.8 %	605879	?Dystonia 34, myoclonic, 619724 (3), Autosomal dominant; Neurodevelopmental disorder with or without variable movement or behavioral abnormalities, 619725 (3), Autosomal dominant
KIF5A	99.67 %	602821	Myoclonus, intractable, neonatal, 617235 (3), Autosomal dominant; {Amyotrophic lateral sclerosis, susceptibility to, 25}, 617921 (3), Autosomal dominant; Spastic paraplegia 10, autosomal dominant, 604187 (3), Autosomal dominant
L2HGDH	99.76 %	609584	L-2-hydroxyglutaric aciduria, 236792 (3), Autosomal recessive
LAMA2	99.69 %	156225	Muscular dystrophy, limb-girdle, autosomal recessive 23, 618138 (3), Autosomal recessive; Muscular dystrophy, congenital, merosin deficient or partially deficient, 607855 (3), Autosomal recessive
LAMB1	99.56 %	150240	Lissencephaly 5, 615191 (3), Autosomal recessive
LARGE1	99.86 %	603590	Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 6, 608840 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 6, 613154 (3), Autosomal recessive
LARS2	99.68 %	604544	Perrault syndrome 4, 615300 (3), Autosomal recessive; Hydrops, lactic acidosis, and sideroblastic anemia, 617021 (3), Autosomal recessive
LIG3	99.93 %	600940	Mitochondrial DNA depletion syndrome 20 (MNGIE type), 619780 (3), Autosomal recessive
LIPT1	99.89 %	610284	Lipoyltransferase 1 deficiency, 616299 (3), Autosomal recessive
LIPT2	99.92 %	617659	Encephalopathy, neonatal severe, with lactic acidosis and brain abnormalities, 617668 (3), Autosomal recessive
LMNB1	99.59 %	150340	Microcephaly 26, primary, autosomal dominant, 619179 (3), Autosomal dominant
LYRM7	99.99 %	615831	Mitochondrial complex III deficiency, nuclear type 8, 615838 (3), Autosomal recessive
MAL	99.57 %	188860	?Leukodystrophy, hypomyelinating, 28, 620978 (3), Autosomal recessive
MAN2B1	99.51 %	609458	Mannosidosis, alpha-, types I and II, 248500 (3), Autosomal recessive
MANBA	99.66 %	609489	Mannosidosis, beta, 248510 (3), Autosomal recessive
MARS2	99.98 %	609728	?Combined oxidative phosphorylation deficiency 25, 616430 (3), Autosomal recessive; Spastic ataxia 3, autosomal recessive, 611390 (3), Autosomal recessive
MCOLN1	99.64 %	605248	Lisch epithelial corneal dystrophy, 620763 (3), Autosomal dominant; Mucopolipidosis IV, 252650 (3), Autosomal recessive
MEF2C	98.93 %	600662	Chromosome 5q14.3 deletion syndrome, 613443 (4), Autosomal dominant; Neurodevelopmental disorder with hypotonia, stereotypic hand movements, and impaired language, 613443 (3), Autosomal dominant

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
MFSD8	99.75 %	611124	Macular dystrophy with central cone involvement, 616170 (3), Autosomal recessive; Ceroid lipofuscinosis, neuronal, 7, 610951 (3), Autosomal recessive
MLC1	99.91 %	605908	Megalencephalic leukoencephalopathy with subcortical cysts 1, 604004 (3), Autosomal recessive
MMUT	99.71 %	609058	Methylmalonic aciduria, mut(0) type, 251000 (3), Autosomal recessive
MOCS1	99.68 %	603707	Molybdenum cofactor deficiency A, 252150 (3), Autosomal recessive
MOCS2	99.79 %	603708	Molybdenum cofactor deficiency B1, 252160 (3), Autosomal recessive
MPLKIP	98.89 %	609188	Trichothiodystrophy 4, nonphotosensitive, 234050 (3), Autosomal recessive
MPV17	99.85 %	137960	Charcot-Marie-Tooth disease, axonal, type 2EE, 618400 (3), Autosomal recessive; Mitochondrial DNA depletion syndrome 6 (hepatocerebral type), 256810 (3), Autosomal recessive
MRPL49	99.78 %	606866	Combined oxidative phosphorylation deficiency 60, 621195 (3), Autosomal recessive
MRPS22	99.83 %	605810	Ovarian dysgenesis 7, 618117 (3), Autosomal recessive; Combined oxidative phosphorylation deficiency 5, 611719 (3), Autosomal recessive
MRPS34	99.94 %	611994	Combined oxidative phosphorylation deficiency 32, 617664 (3), Autosomal recessive
MTFMT	99.93 %	611766	Combined oxidative phosphorylation deficiency 15, 614947 (3), Autosomal recessive; Mitochondrial complex I deficiency, nuclear type 27, 618248 (3), Autosomal recessive
MTHFR	99.8 %	607093	{Vascular disease, susceptibility to} (3); Homocystinuria due to MTHFR deficiency, 236250 (3), Autosomal recessive; {Thromboembolism, susceptibility to}, 188050 (3), Autosomal dominant; {Schizophrenia, susceptibility to}, 181500 (3), Autosomal dominant; {Neural tube defects, susceptibility to}, 601634 (3), Autosomal recessive
MTO1	98.56 %	614667	Combined oxidative phosphorylation deficiency 10, 614702 (3), Autosomal recessive
MYORG	99.98 %	618255	Basal ganglia calcification, idiopathic, 7, autosomal recessive, 618317 (3), Autosomal recessive
NAA60	99.83 %	614246	Basal ganglia calcification, idiopathic, 9, autosomal recessive, 620786 (3), Autosomal recessive
NAXD	99.48 %	615910	Encephalopathy, progressive, early-onset, with brain edema and/or leukoencephalopathy, 2, 618321 (3), Autosomal recessive
NAXE	99.25 %	608862	Encephalopathy, progressive, early-onset, with brain edema and/or leukoencephalopathy, 617186 (3), Autosomal recessive
NDUFA2	99.85 %	602137	Mitochondrial complex I deficiency, nuclear type 13, 618235 (3), Autosomal recessive
NDUFA9	99.97 %	603834	Mitochondrial complex I deficiency, nuclear type 26, 618247 (3), Autosomal recessive
NDUFAF1	99.99 %	606934	Mitochondrial complex I deficiency, nuclear type 11, 618234 (3), Autosomal recessive
NDUFAF3	99.85 %	612911	Mitochondrial complex I deficiency, nuclear type 18, 618240 (3), Autosomal recessive
NDUFAF4	99.85 %	611776	Mitochondrial complex I deficiency, nuclear type 15, 618237 (3), Autosomal recessive
NDUFAF5	99.87 %	612360	Mitochondrial complex I deficiency, nuclear type 16, 618238 (3), Autosomal recessive
NDUFAF6	99.67 %	612392	Mitochondrial complex I deficiency, nuclear type 17, 618239 (3), Autosomal recessive; Fanconi renotubular syndrome 5, 618913 (3), Autosomal recessive
NDUFS1	99.56 %	157655	Mitochondrial complex I deficiency, nuclear type 5, 618226 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
NDUFS2	98.85 %	602985	?Leber-like hereditary optic neuropathy, autosomal recessive 2, 620569 (3), Autosomal recessive; Mitochondrial complex I deficiency, nuclear type 6, 618228 (3), Autosomal recessive
NDUFS4	99.96 %	602694	Mitochondrial complex I deficiency, nuclear type 1, 252010 (3), Autosomal recessive
NDUFS7	98.5 %	601825	Mitochondrial complex I deficiency, nuclear type 3, 618224 (3), Autosomal recessive
NDUFS8	99.65 %	602141	Mitochondrial complex I deficiency, nuclear type 2, 618222 (3), Autosomal recessive
NDUFV1	99.74 %	161015	Mitochondrial complex I deficiency, nuclear type 4, 618225 (3), Autosomal recessive
NDUFV2	99.87 %	600532	Mitochondrial complex I deficiency, nuclear type 7, 618229 (3), Autosomal recessive
NEU1	99.94 %	608272	Sialidosis, type II, 256550 (3), Autosomal recessive; Sialidosis, type I, 256550 (3), Autosomal recessive
NFU1	99.01 %	608100	Spastic paraplegia 93, autosomal recessive, 620938 (3), Autosomal recessive; Multiple mitochondrial dysfunctions syndrome 1, 605711 (3), Autosomal recessive
NKX6-2	99.96 %	605955	Spastic ataxia 8, autosomal recessive, with hypomyelinating leukodystrophy, 617560 (3), Autosomal recessive
NOTCH3	99.56 %	600276	Lateral meningocele syndrome, 130720 (3), Autosomal dominant; Lipodystrophy, familial partial, type 1, 608600 (3), Autosomal dominant; Cerebral arteriopathy, autosomal recessive, with subcortical infarcts and leukoencephalopathy 1, 621295 (3), Autosomal recessive; ?Myofibromatosis, infantile 2, 615293 (3), Autosomal dominant; Cerebral arteriopathy, autosomal dominant, with subcortical infarcts and leukoencephalopathy 1, 125310 (3), Autosomal recessive, Autosomal dominant
NPC1	99.9 %	607623	Niemann-Pick disease, type C1, 257220 (3), Autosomal recessive; Niemann-Pick disease, type D, 257220 (3), Autosomal recessive
NPC2	99.76 %	601015	Niemann-pick disease, type C2, 607625 (3), Autosomal recessive
NT5C2	99.86 %	600417	Spastic paraplegia 45, autosomal recessive, 613162 (3), Autosomal recessive
NTNG2	99.69 %	618689	Neurodevelopmental disorder with behavioral abnormalities, absent speech, and hypotonia, 618718 (3), Autosomal recessive
NUBPL	99.77 %	613621	Mitochondrial complex I deficiency, nuclear type 21, 618242 (3), Autosomal recessive
NUP188	99.6 %	615587	Sandestig-Stefanova syndrome, 618804 (3), Autosomal recessive
OCLN	81.1 %	602876	Pseudo-TORCH syndrome 1, 251290 (3), Autosomal recessive
OCRL	99.78 %	300535	Dent disease 2, 300555 (3), X-linked recessive; Lowe syndrome, 309000 (3), X-linked recessive
PAFAH1B1	99.88 %	601545	Subcortical laminar heterotopia, 607432 (3), Autosomal dominant; Lissencephaly 1, 607432 (3), Autosomal dominant
PAH	99.79 %	612349	[Hyperphenylalaninemia, non-PKU mild], 261600 (3), Autosomal recessive; Phenylketonuria, 261600 (3), Autosomal recessive
PARS2	99.97 %	612036	Developmental and epileptic encephalopathy 75, 618437 (3), Autosomal recessive
PC	99.85 %	608786	Pyruvate carboxylase deficiency, 266150 (3), Autosomal recessive
PCCA	99.91 %	232000	Propionicacidemia, 606054 (3), Autosomal recessive
PCCB	99.86 %	232050	Propionicacidemia, 606054 (3), Autosomal recessive
PDGFB	99.79 %	190040	Meningioma, SIS-related, 607174 (3), Autosomal dominant; Basal ganglia calcification, idiopathic, 5, 615483 (3), Autosomal dominant
PDGFRB	99.81 %	173410	Premature aging syndrome, Penttinen type, 601812 (3), Autosomal dominant; ?Ocular pterygium-digital keloid dysplasia syndrome, 621091 (3), Autosomal dominant; Kosaki overgrowth syndrome, 616592 (3), Autosomal dominant; Myofibromatosis, infantile, 1, 228550 (3), Autosomal dominant; Basal ganglia calcification, idiopathic, 4, 615007 (3), Autosomal dominant
PDHA1	99.86 %	300502	Pyruvate dehydrogenase E1-alpha deficiency, 312170 (3), X-linked dominant

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
PDHB	99.66 %	179060	Pyruvate dehydrogenase E1-beta deficiency, 614111 (3), Autosomal recessive
PDHX	99.54 %	608769	Lacticacidemia due to PDX1 deficiency, 245349 (3), Autosomal recessive
PDP1	99.99 %	605993	Pyruvate dehydrogenase phosphatase deficiency, 608782 (3), Autosomal recessive
PEX1	98.36 %	602136	Heimler syndrome 1, 234580 (3), Autosomal recessive; Peroxisome biogenesis disorder 1B (NALD/IRD), 601539 (3), Autosomal recessive; Peroxisome biogenesis disorder 1A (Zellweger), 214100 (3), Autosomal recessive
PEX10	99.94 %	602859	Peroxisome biogenesis disorder 6A (Zellweger), 614870 (3), Autosomal recessive; Peroxisome biogenesis disorder 6B, 614871 (3), Autosomal recessive
PEX11B	98.66 %	603867	Peroxisome biogenesis disorder 14B, 614920 (3), Autosomal recessive
PEX12	99.94 %	601758	Peroxisome biogenesis disorder 3B, 266510 (3), Autosomal recessive; Peroxisome biogenesis disorder 3A (Zellweger), 614859 (3), Autosomal recessive
PEX13	99.73 %	601789	Peroxisome biogenesis disorder 11A (Zellweger), 614883 (3), Autosomal recessive; Peroxisome biogenesis disorder 11B, 614885 (3), Autosomal recessive
PEX14	99.89 %	601791	Peroxisome biogenesis disorder 13A (Zellweger), 614887 (3), Autosomal recessive
PEX16	99.55 %	603360	Peroxisome biogenesis disorder 8B, 614877 (3), Autosomal recessive; Peroxisome biogenesis disorder 8A (Zellweger), 614876 (3), Autosomal recessive
PEX19	98.91 %	600279	Peroxisome biogenesis disorder 12A (Zellweger), 614886 (3), Autosomal recessive
PEX2	100 %	170993	Peroxisome biogenesis disorder 5A (Zellweger), 614866 (3), Autosomal recessive; Peroxisome biogenesis disorder 5B, 614867 (3), Autosomal recessive
PEX26	99.99 %	608666	Peroxisome biogenesis disorder 7B, 614873 (3), Autosomal recessive; Peroxisome biogenesis disorder 7A (Zellweger), 614872 (3), Autosomal recessive
PEX3	99.56 %	603164	Peroxisome biogenesis disorder 10A (Zellweger), 614882 (3), Autosomal recessive; ?Peroxisome biogenesis disorder 10B, 617370 (3), Autosomal recessive
PEX5	99.93 %	600414	Peroxisome biogenesis disorder 2B, 202370 (3), Autosomal recessive; Peroxisome biogenesis disorder 2A (Zellweger), 214110 (3), Autosomal recessive; Rhizomelic chondrodysplasia punctata, type 5, 616716 (3), Autosomal recessive
PEX6	99.89 %	601498	Peroxisome biogenesis disorder 4B, 614863 (3), Autosomal recessive, Autosomal dominant; Peroxisome biogenesis disorder 4A (Zellweger), 614862 (3), Autosomal recessive; Heimler syndrome 2, 616617 (3), Autosomal recessive
PEX7	99.68 %	601757	Rhizomelic chondrodysplasia punctata, type 1, 215100 (3), Autosomal recessive; Peroxisome biogenesis disorder 9B, 614879 (3), Autosomal recessive
PI4KA	99.17 %	600286	Spastic paraplegia 84, autosomal recessive, 619621 (3), Autosomal recessive; Gastrointestinal defects and immunodeficiency syndrome 2, 619708 (3), Autosomal recessive; Polymicrogyria, perisylvian, with cerebellar hypoplasia and arthrogryposis, 616531 (3), Autosomal recessive
PLEKHG2	99.87 %	611893	Leukodystrophy and acquired microcephaly with or without dystonia, 616763 (3), Autosomal recessive
PLP1	99.93 %	300401	Pelizaeus-Merzbacher disease, 312080 (3), X-linked recessive; Spastic paraplegia 2, X-linked, 312920 (3), X-linked recessive
PLPBP	99.56 %	604436	Epilepsy, early-onset, 1, vitamin B6-dependent, 617290 (3), Autosomal recessive
PMPCB	99.76 %	603131	Multiple mitochondrial dysfunctions syndrome 6, 617954 (3), Autosomal recessive
PNPT1	99.38 %	610316	Spinocerebellar ataxia 25, 608703 (3), Autosomal dominant; Deafness, autosomal recessive 70, with or without adult-onset neurodegeneration, 614934 (3), Autosomal recessive; Combined oxidative phosphorylation deficiency 13, 614932 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
POLG	99.94 %	174763	Mitochondrial recessive ataxia syndrome (includes SANDO and SCAE), 607459 (3), Autosomal recessive; Mitochondrial DNA depletion syndrome 4B (MNGIE type), 613662 (3), Autosomal recessive; Mitochondrial DNA depletion syndrome 4A (Alpers type), 203700 (3), Autosomal recessive; Progressive external ophthalmoplegia, autosomal dominant 1, 157640 (3), Autosomal dominant; Progressive external ophthalmoplegia, autosomal recessive 1, 258450 (3), Autosomal recessive
POLR1C	100 %	610060	Leukodystrophy, hypomyelinating, 11, 616494 (3), Autosomal recessive; Treacher Collins syndrome 3, 248390 (3), Autosomal recessive
POLR3A	99.79 %	614258	Wiedemann-Rautenstrauch syndrome, 264090 (3), Autosomal recessive; Leukodystrophy, hypomyelinating, 7, with or without oligodontia and/or hypogonadotropic hypogonadism, 607694 (3), Autosomal recessive
POLR3B	99.7 %	614366	Leukodystrophy, hypomyelinating, 8, with or without oligodontia and/or hypogonadotropic hypogonadism, 614381 (3), Autosomal recessive; Charcot-Marie-Tooth disease, demyelinating, type 1I, 619742 (3), Autosomal dominant
POLR3K	99.99 %	606007	Leukodystrophy, hypomyelinating, 21, 619310 (3), Autosomal recessive
POMGNT1	99.2 %	606822	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 3, 613157 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 3, 613151 (3), Autosomal recessive; Retinitis pigmentosa 76, 617123 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 3, 253280 (3), Autosomal recessive
POMT1	99.7 %	607423	Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 1, 236670 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 1, 609308 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 1, 613155 (3), Autosomal recessive
POMT2	99.84 %	607439	Muscular dystrophy-dystroglycanopathy (limb-girdle), type C, 2, 613158 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with brain and eye anomalies), type A, 2, 613150 (3), Autosomal recessive; Muscular dystrophy-dystroglycanopathy (congenital with impaired intellectual development), type B, 2, 613156 (3), Autosomal recessive
PPFIBP1	98.01 %	603141	Neurodevelopmental disorder with seizures, microcephaly, and brain abnormalities, 620024 (3), Autosomal recessive
PPT1	97.93 %	600722	Ceroid lipofuscinosis, neuronal, 1, 256730 (3), Autosomal recessive
PRF1	99.89 %	170280	Hemophagocytic lymphohistiocytosis, familial, 2, 603553 (3), Autosomal recessive; Aplastic anemia, 609135 (3); Lymphoma, non-Hodgkin, 605027 (3)
PRNP	100 %	176640	Spongiform encephalopathy with neuropsychiatric features, 606688 (3), Autosomal dominant; Gerstmann-Straussler disease, 137440 (3), Autosomal dominant; Huntington disease-like 1, 603218 (3), Autosomal dominant; Insomnia, fatal familial, 600072 (3), Autosomal dominant; {Kuru, susceptibility to}, 245300 (3); Cerebral amyloid angiopathy, PRNP-related, 137440 (3), Autosomal dominant; Creutzfeldt-Jakob disease, 123400 (3), Autosomal dominant
PSAP	99.77 %	176801	Combined SAP deficiency, 611721 (3), Autosomal recessive; Krabbe disease, atypical, 611722 (3), Autosomal recessive; Metachromatic leukodystrophy due to SAP-b deficiency, 249900 (3), Autosomal recessive; Gaucher disease, atypical, 610539 (3); {Parkinson disease 24, autosomal dominant, susceptibility to}, 619491 (3), Autosomal dominant
PSAT1	99.75 %	610936	Neu-Laxova syndrome 2, 616038 (3), Autosomal recessive; Phosphoserine aminotransferase deficiency, 610992 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
PSEN1	99.96 %	104311	Pick disease, 172700 (3), Autosomal dominant; Dementia, frontotemporal, 600274 (3), Autosomal dominant; ?Acne inversa, familial, 3, 613737 (3), Autosomal dominant; ?Cardiomyopathy, dilated, 1U, 613694 (3), Autosomal dominant; Alzheimer disease, type 3, with or without spastic paraparesis, 607822 (3), Autosomal dominant
PSEN2	99.73 %	600759	Alzheimer disease-4, 606889 (3), Autosomal dominant; Cardiomyopathy, dilated, 1V, 613697 (3), Autosomal dominant
PSPH	98.61 %	172480	Phosphoserine phosphatase deficiency, 614023 (3), Autosomal recessive
PYCR2	99.67 %	616406	Leukodystrophy, hypomyelinating, 10, 616420 (3), Autosomal recessive
QDPR	99.37 %	612676	Hyperphenylalaninemia, BH4-deficient, C, 261630 (3), Autosomal recessive
RAB11B	99.81 %	604198	Neurodevelopmental disorder with ataxic gait, absent speech, and decreased cortical white matter, 617807 (3), Autosomal dominant
RARS1	99.85 %	107820	Leukodystrophy, hypomyelinating, 9, 616140 (3), Autosomal recessive
RNASEH2A	99.4 %	606034	Aicardi-Goutieres syndrome 4, 610333 (3), Autosomal recessive
RNASEH2B	99.89 %	610326	Aicardi-Goutieres syndrome 2, 610181 (3), Autosomal recessive
RNASEH2C	99.34 %	610330	Aicardi-Goutieres syndrome 3, 610329 (3), Autosomal recessive
RNASET2	99.98 %	612944	Leukoencephalopathy, cystic, without megalencephaly, 612951 (3), Autosomal recessive
RNF216	99.87 %	609948	Cerebellar ataxia and hypogonadotropic hypogonadism, 212840 (3), Autosomal recessive
RNF220	98.8 %	616136	Leukodystrophy, hypomyelinating, 23, with ataxia, deafness, liver dysfunction, and dilated cardiomyopathy, 619688 (3), Autosomal recessive
RNU7-1	99.98 %	617876	Aicardi-Goutieres syndrome 9, 619487 (3), Autosomal recessive
RPIA	99.1 %	180430	Ribose 5-phosphate isomerase deficiency, 608611 (3), Autosomal recessive
RRM2B	99.86 %	604712	Mitochondrial DNA depletion syndrome 8B (MNGIE type), 612075 (3), Autosomal recessive; Mitochondrial DNA depletion syndrome 8A (encephalomyopathic type with renal tubulopathy), 612075 (3), Autosomal recessive; Rod-cone dystrophy, sensorineural deafness, and Fanconi-type renal dysfunction, 268315 (3), Autosomal recessive; Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 5, 613077 (3), Autosomal dominant
SAMD9L	99.81 %	611170	Ataxia-pancytopenia syndrome, 159550 (3), Autosomal dominant; ?Spinocerebellar ataxia 49, 619806 (3), Autosomal dominant; Monosomy 7 myelodysplasia and leukemia syndrome 1, 252270 (3), Autosomal dominant
SAMHD1	99.94 %	606754	?Chilblain lupus 2, 614415 (3), Autosomal dominant; Aicardi-Goutieres syndrome 5, 612952 (3), Autosomal recessive
SCAF4	99.82 %	616023	Fliedner-Zweier syndrome, 620511 (3), Autosomal dominant
SCO1	99.77 %	603644	Mitochondrial complex IV deficiency, nuclear type 4, 619048 (3), Autosomal recessive
SCO2	100 %	604272	Myopia 6, 608908 (3), Autosomal dominant; Mitochondrial complex IV deficiency, nuclear type 2, 604377 (3), Autosomal recessive
SCP2	96.89 %	184755	?Leukoencephalopathy with dystonia and motor neuropathy, 613724 (3), Autosomal recessive
SDHA	97.97 %	600857	Cardiomyopathy, dilated, 1GG, 613642 (3), Autosomal recessive; Mitochondrial complex II deficiency, nuclear type 1, 252011 (3), Autosomal recessive; Neurodegeneration with ataxia and late-onset optic atrophy, 619259 (3), Autosomal dominant; Pheochromocytoma/paraganglioma syndrome 5, 614165 (3), Autosomal dominant
SDHAF1	99.95 %	612848	Mitochondrial complex II deficiency, nuclear type 2, 619166 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
SDHAF2	99.87 %	613019	Pheochromocytoma/paraganglioma syndrome 2, 601650 (3), Autosomal dominant
SDHB	93.61 %	185470	Pheochromocytoma/paraganglioma syndrome 4, 115310 (3), Autosomal dominant; Mitochondrial complex II deficiency, nuclear type 4, 619224 (3), Autosomal recessive; Gastrointestinal stromal tumor, 606764 (3), Autosomal dominant, Isolated cases; Paraganglioma and gastric stromal sarcoma, 606864 (3)
SDHD	91.13 %	602690	Pheochromocytoma/paraganglioma syndrome 1, 168000 (3), Autosomal dominant; Paraganglioma and gastric stromal sarcoma, 606864 (3); Mitochondrial complex II deficiency, nuclear type 3, 619167 (3), Autosomal recessive
SEPSECS	99.43 %	613009	Pontocerebellar hypoplasia type 2D, 613811 (3), Autosomal recessive
SERAC1	99.84 %	614725	3-methylglutaconic aciduria with deafness, encephalopathy, and Leigh-like syndrome, 614739 (3), Autosomal recessive
SGO1	99.91 %	609168	Chronic atrial and intestinal dysrhythmia, 616201 (3), Autosomal recessive
SHANK3	99.48 %	606230	Phelan-McDermid syndrome, 606232 (3), Autosomal dominant; {Schizophrenia 15}, 613950 (3), Autosomal dominant
SLC13A3	99.86 %	606411	Leukoencephalopathy, acute reversible, with increased urinary alpha-ketoglutarate, 618384 (3), Autosomal recessive
SLC16A2	99.68 %	300095	Allan-Herndon-Dudley syndrome, 300523 (3), X-linked
SLC17A5	99.7 %	604322	Salla disease, 604369 (3), Autosomal recessive; Sialic acid storage disorder, infantile, 269920 (3), Autosomal recessive
SLC1A4	99.65 %	600229	Spastic tetraplegia, thin corpus callosum, and progressive microcephaly, 616657 (3), Autosomal recessive
SLC20A2	99.82 %	158378	Basal ganglia calcification, idiopathic, 1, 213600 (3), Autosomal dominant
SLC25A12	99.54 %	603667	Developmental and epileptic encephalopathy 39, 612949 (3), Autosomal recessive
SLC35B2	99.96 %	610788	Leukodystrophy, hypomyelinating, 26, with chondrodysplasia, 620269 (3), Autosomal recessive
SLC44A1	99.84 %	606105	Neurodegeneration, childhood-onset, with ataxia, tremor, optic atrophy, and cognitive decline, 618868 (3), Autosomal recessive
SNAP29	99.51 %	604202	Cerebral dysgenesis, neuropathy, ichthyosis, and palmoplantar keratoderma syndrome, 609528 (3), Autosomal recessive
SNF8	98.63 %	610904	Developmental and epileptic encephalopathy 115, 620783 (3), Autosomal recessive; Neurodevelopmental disorder plus optic atrophy, 620784 (3), Autosomal recessive
SNORD118	99.84 %	616663	Leukoencephalopathy, brain calcifications, and cysts, 614561 (3), Autosomal recessive
SOX10	99.99 %	602229	Waardenburg syndrome, type 4C, 613266 (3), Autosomal dominant; PCWH syndrome, 609136 (3), Autosomal dominant; Waardenburg syndrome, type 2E, with or without neurologic involvement, 611584 (3), Autosomal dominant
SPART	99.98 %	607111	Troyer syndrome, 275900 (3), Autosomal recessive
SPG11	99.76 %	610844	Amyotrophic lateral sclerosis 5, juvenile, 602099 (3), Autosomal recessive; Charcot-Marie-Tooth disease, axonal, type 2X, 616668 (3), Autosomal recessive; Spastic paraplegia 11, autosomal recessive, 604360 (3), Autosomal recessive
SPG7	99.89 %	602783	Spastic paraplegia 7, autosomal recessive, 607259 (3), Autosomal recessive, Autosomal dominant
STN1	99.59 %	613128	Cerebroretinal microangiopathy with calcifications and cysts 2, 617341 (3), Autosomal recessive
STX11	99.93 %	605014	Hemophagocytic lymphohistiocytosis, familial, 4, 603552 (3), Autosomal recessive
STXBP2	99.73 %	601717	Hemophagocytic lymphohistiocytosis, familial, 5, with or without microvillus inclusion disease, 613101 (3), Autosomal recessive

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
SUCLA2	99.92 %	603921	Mitochondrial DNA depletion syndrome 5 (encephalomyopathic with or without methylmalonic aciduria), 612073 (3), Autosomal recessive
SUMF1	99.88 %	607939	Multiple sulfatase deficiency, 272200 (3), Autosomal recessive
SUOX	99.89 %	606887	Sulfite oxidase deficiency, 272300 (3), Autosomal recessive
SURF1	99.88 %	185620	Charcot-Marie-Tooth disease, type 4K, 616684 (3), Autosomal recessive; Mitochondrial complex IV deficiency, nuclear type 1, 220110 (3), Autosomal recessive
TACO1	99.34 %	612958	Mitochondrial complex IV deficiency, nuclear type 8, 619052 (3), Autosomal recessive
TMEM106B	99.88 %	613413	Leukodystrophy, hypomyelinating, 16, 617964 (3), Autosomal dominant
TMEM107	99.96 %	616183	Orofaciodigital syndrome XVI, 617563 (3), Autosomal recessive; Meckel syndrome 13, 617562 (3), Autosomal recessive; ?Joubert syndrome 29, 617562 (3), Autosomal recessive
TMEM163	99.35 %	618978	Leukodystrophy, hypomyelinating, 25, 620243 (3), Autosomal dominant
TMEM63A	99.63 %	618685	Leukodystrophy, hypomyelinating, 19, transient infantile, 618688 (3), Autosomal dominant
TPP1	99.95 %	607998	Ceroid lipofuscinosis, neuronal, 2, 204500 (3), Autosomal recessive; Spinocerebellar ataxia, autosomal recessive 7, 609270 (3), Autosomal recessive
TPP2	99.83 %	190470	Immunodeficiency 78 with autoimmunity and developmental delay, 619220 (3), Autosomal recessive
TREM2	99.99 %	605086	{Alzheimer disease 17, susceptibility to}, 615080 (3), Autosomal recessive; Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy 2, 618193 (3), Autosomal recessive
TREX1	100 %	606609	Vasculopathy, retinal, with cerebral leukoencephalopathy and systemic manifestations, 192315 (3), Autosomal dominant; Aicardi-Goutieres syndrome 1, dominant and recessive, 225750 (3), Autosomal recessive, Autosomal dominant; {Systemic lupus erythematosus, susceptibility to}, 152700 (3), Autosomal dominant; Chilblain lupus, 610448 (3), Autosomal dominant
TSEN54	99.85 %	608755	Pontocerebellar hypoplasia type 2A, 277470 (3), Autosomal recessive; Pontocerebellar hypoplasia type 4, 225753 (3), Autosomal recessive; ?Pontocerebellar hypoplasia type 5, 610204 (3), Autosomal recessive
TTC19	99.92 %	613814	Mitochondrial complex III deficiency, nuclear type 2, 615157 (3), Autosomal recessive
TTR	99.8 %	176300	Amyloidosis, hereditary systemic 1, 105210 (3), Autosomal dominant; Carpal tunnel syndrome, familial, 115430 (3), Autosomal dominant; [Dystransthyretinemic hyperthyroxinemia], 145680 (3), Autosomal dominant
TUBB4A	99.94 %	602662	Dystonia 4, torsion, autosomal dominant, 128101 (3), Autosomal dominant; Leukodystrophy, hypomyelinating, 6, 612438 (3), Autosomal dominant
TUFM	99.97 %	602389	Combined oxidative phosphorylation deficiency 4, 610678 (3), Autosomal recessive
TWNK	99.91 %	606075	Mitochondrial DNA depletion syndrome 7 (hepatocerebral type), 271245 (3), Autosomal recessive; Progressive external ophthalmoplegia with mitochondrial DNA deletions, autosomal dominant 3, 609286 (3), Autosomal dominant; Perrault syndrome 5, 616138 (3), Autosomal recessive
TYMP	99.81 %	131222	Mitochondrial DNA depletion syndrome 1 (MNGIE type), 603041 (3), Autosomal recessive
TYROBP	99.88 %	604142	Polycystic lipomembranous osteodysplasia with sclerosing leukoencephalopathy 1, 221770 (3), Autosomal recessive
UBTF	99.81 %	600673	Neurodegeneration, childhood-onset, with brain atrophy, 617672 (3), Autosomal dominant

Leukodystrophy and Leukoencephalopathy

Gene panel

Gene	% at least 20 x covered*	OMIM gene id	OMIM Phenotypes
UFM1	99.7 %	610553	Leukodystrophy, hypomyelinating, 14, 617899 (3), Autosomal recessive
UNC13D	99.84 %	608897	Hemophagocytic lymphohistiocytosis, familial, 3, 608898 (3), Autosomal recessive
USP18	90.87 %	607057	Pseudo-TORCH syndrome 2, 617397 (3), Autosomal recessive
VPS11	99.92 %	608549	?Dystonia 32, 619637 (3), Autosomal recessive; Leukodystrophy, hypomyelinating, 12, 616683 (3), Autosomal recessive
WARS2	97.45 %	604733	Parkinsonism-dystonia 3, childhood-onset, 619738 (3), Autosomal recessive; Neurodevelopmental disorder, mitochondrial, with abnormal movements and lactic acidosis, with or without seizures, 617710 (3), Autosomal recessive
WT1	97.92 %	607102	Mesothelioma, somatic, 156240 (3); Meacham syndrome, 608978 (3), Autosomal dominant; Frasier syndrome, 136680 (3), Somatic mutation, Autosomal dominant; Nephrotic syndrome, type 4, 256370 (3), Autosomal dominant; Denys-Drash syndrome, 194080 (3), Somatic mutation, Autosomal dominant; Wilms tumor, type 1, 194070 (3), Somatic mutation, Autosomal dominant
XPR1	97.99 %	605237	Basal ganglia calcification, idiopathic, 6, 616413 (3), Autosomal dominant
ZFYVE26	99.91 %	612012	Spastic paraplegia 15, autosomal recessive, 270700 (3), Autosomal recessive

Explanation

OMIM release used for OMIM disease identifiers and descriptions: **2025-11-12**

Gene symbols used are according to the HGNC guidelines (corresponding to Ensembl database release 105).

Each Phenotype is followed by its MIM number, phenotype mapping key and inheritance pattern.

Possible phenotype mapping keys

- (1) the disorder is placed on the map based on its association with a gene, but the underlying defect is not known
- (2) the disorder has been placed on the map by linkage; no mutation has been found
- (3) the molecular basis for the disorder is known; a mutation has been found in the gene
- (4) a contiguous gene deletion or duplication syndrome, multiple genes are deleted or duplicated causing the phenotype

Brackets, "[]", indicate "nondiseases," mainly genetic variations that lead to apparently abnormal laboratory test values (e.g., dysalbuminemic euthyroidal hyperthyroxinemia).

Braces, "{ }", indicate mutations that contribute to susceptibility to multifactorial disorders (e.g., diabetes, asthma) or to susceptibility to infection (e.g., malaria).

A question mark, "?", before the phenotype name indicates that the relationship between the phenotype and gene is provisional. More details about this relationship are provided in the comment field of the map and in the gene and phenotype OMIM entries.

* The column '% at least 20 x covered' shows the percentage of the coding sequence (+/-20 nucleotides of the flanking introns) of that gene that is on average at least 20 x covered. This according to the experience with exome sequencing in our laboratory and based on the current method.